


# Compatibility chart


**FLUKE**®


This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.


Fluke Connect™ tools	
3000 FC Digital Multimeter	
a3000 FC Module – AC Current Clamp	
a3001 FC Module – AC Current w/iFlex	
a3002 FC Module – AC/DC Current	
v3000 FC Module – AC Voltage	
v3001 FC Module – DC Voltage	
t3000 FC Module – Temperature	
Ti400, Ti300 and Ti200 Infrared Cameras	
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras	
Ti95 and Ti90 Infrared Cameras	
Fluke Connect™ accessories	
ir3000 FC Wireless Connector	
ir3000 FC1550 Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect™ software	
Fluke Connect™ App - iOS	
Fluke Connect™ App - Android™	
SW3000 FC Software	





**Connects with:**


  
3000 FC Digital Multimeter\*


  
a3000 FC Module


  
a3001 FC Module


  
a3002 FC Module


  
v3000 FC Module


  
v3001 FC Module


  
t3000 FC Module

  
Ti400, Ti300 and Ti200

  
pc3000 FC PC Adapter

  
Fluke Connect™ App: iOS (4s and later)

  
Fluke Connect™ App: Android™ (4.3 and up)

  
SW3000 FC Software\*

**Includes:** TL175 Test Leads (red/black), AC175 Alligator clips (red/black), 3-AA batteries (installed) and information pack

**Compatible with CNX:** No


**\*Requirements:** 3000 FC DMM must be in module mode to connect with another 3000 FC DMM, Ti400, Ti300 and Ti200 Infrared Cameras or with the Fluke Connect app; SW3000 FC Software requires the PC adapter



Built with  
**FLUKE CONNECT™**










©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4s and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581a-en.



# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

<b>Fluke Connect™ tools</b>		<b>Connects with:</b>			
3000 FC Digital Multimeter					
a3000 FC Module – AC Current Clamp					
a3001 FC Module – AC Current w/iFlex					
a3002 FC Module – AC/DC Current					
v3000 FC Module – AC Voltage					
v3001 FC Module – DC Voltage					
t3000 FC Module – Temperature					
Ti400, Ti300 and Ti200 Infrared Cameras					
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras					
Ti95 and Ti90 Infrared Cameras					
<b>Includes:</b> 2-AA batteries (installed), information pack					
<b>Compatible with CNX:</b> No					
<b>*Requirements:</b> SW3000 FC Software requires the PC adapter					
<b>Fluke Connect™ accessories</b>					
ir3000 FC Wireless Connector					
ir3000 FC1550 Wireless Connector					
pc3000 FC PC Adapter					
Wireless FC SD Card					
<b>Fluke Connect™ software</b>					
Fluke Connect™ App - iOS					
Fluke Connect™ App - Android™					
SW3000 FC Software					


**Includes:** 2-AA batteries (installed), information pack

**Compatible with CNX:** No

**\*Requirements:** SW3000 FC Software requires the PC adapter










©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus 5, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581a-en.



# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools																																		
3000 FC Digital Multimeter	<div></div> <div><b>Connects with:</b></div> <div><div><div>3000 FC Digital Multimeter</div></div><div><div>Ti400, Ti300 and Ti200</div></div><div><div>pc3000 FC PC Adapter</div></div><div><div>Fluke Connect™ App: iOS (4s and later)</div></div><div><div>Fluke Connect™ App: Android (4.3 and up)</div></div><div><div>SW3000 FC Software*</div></div></div> <tr><td>a3000 FC Module – AC Current Clamp</td></tr> <tr><td>a3001 FC Module – AC Current w/iFlex</td></tr> <tr><td>a3002 FC Module – AC/DC Current</td></tr> <tr><td>v3000 FC Module – AC Voltage</td></tr> <tr><td>v3001 FC Module – DC Voltage</td></tr> <tr><td>t3000 FC Module – Temperature</td><td colspan="4"></td></tr> <tr><td>Ti400, Ti300 and Ti200 Infrared Cameras</td><td colspan="4"></td></tr> <tr><td>Ti125, Ti110, Ti105 and Ti100 Infrared Cameras</td><td colspan="4"></td></tr> <tr><td>Ti95 and Ti90 Infrared Cameras</td><td colspan="4"></td></tr> <tr><td colspan="5"><div><div><div>Fluke Connect™ accessories</div><div>ir3000 FC Wireless Connector</div><div>ir3000 FC1550 Wireless Connector</div><div>pc3000 FC PC Adapter</div><div>Wireless FC SD Card</div></div><div><div>Fluke Connect™ software</div><div>Fluke Connect™ App - iOS</div><div>Fluke Connect™ App - Android™</div><div>SW3000 FC Software</div></div></div></td></tr>				a3000 FC Module – AC Current Clamp	a3001 FC Module – AC Current w/iFlex	a3002 FC Module – AC/DC Current	v3000 FC Module – AC Voltage	v3001 FC Module – DC Voltage	t3000 FC Module – Temperature					Ti400, Ti300 and Ti200 Infrared Cameras					Ti125, Ti110, Ti105 and Ti100 Infrared Cameras					Ti95 and Ti90 Infrared Cameras					<div><div><div>Fluke Connect™ accessories</div><div>ir3000 FC Wireless Connector</div><div>ir3000 FC1550 Wireless Connector</div><div>pc3000 FC PC Adapter</div><div>Wireless FC SD Card</div></div><div><div>Fluke Connect™ software</div><div>Fluke Connect™ App - iOS</div><div>Fluke Connect™ App - Android™</div><div>SW3000 FC Software</div></div></div>				
a3000 FC Module – AC Current Clamp																																		
a3001 FC Module – AC Current w/iFlex																																		
a3002 FC Module – AC/DC Current																																		
v3000 FC Module – AC Voltage																																		
v3001 FC Module – DC Voltage																																		
t3000 FC Module – Temperature																																		
Ti400, Ti300 and Ti200 Infrared Cameras																																		
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras																																		
Ti95 and Ti90 Infrared Cameras																																		
<div><div><div>Fluke Connect™ accessories</div><div>ir3000 FC Wireless Connector</div><div>ir3000 FC1550 Wireless Connector</div><div>pc3000 FC PC Adapter</div><div>Wireless FC SD Card</div></div><div><div>Fluke Connect™ software</div><div>Fluke Connect™ App - iOS</div><div>Fluke Connect™ App - Android™</div><div>SW3000 FC Software</div></div></div>																																		

**Includes:** 1x iFlex 10" coil, 2-AA batteries (installed), one magnet hanging strap and information pack

**Compatible with CNX:** No


**\*Requirements:** SW3000 FC Software requires the PC adapter



Built with  
**FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus 5, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581a-en.



# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp				
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature				
Ti400, Ti300 and Ti200 Infrared Cameras				
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras				
Ti95 and Ti90 Infrared Cameras				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
ir3000 FC1550 Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

**Connects with:**



3000 FC Digital Multimeter



Ti400, Ti300 and Ti200



pc3000 FC PC Adapter



Fluke Connect™ App: iOS (4s and later)



Fluke Connect™ App: Android (4.3 and up)



SW3000 FC Software\*


<b>i410 and i1010 clamps sold separately</b>
<b>Includes:</b> 2-AA batteries (installed), 1x magnet hanging strap and information pack
<b>Compatible with CNX:</b> No
<b>*Requirements:</b> SW3000 FC Software requires the PC adapter



Built with  
**FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus 5, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581a-en.



# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	
3000 FC Digital Multimeter	
a3000 FC Module – AC Current Clamp	
a3001 FC Module – AC Current w/iFlex	
a3002 FC Module – AC/DC Current	
v3000 FC Module – AC Voltage	
v3001 FC Module – DC Voltage	
t3000 FC Module – Temperature	
Ti400, Ti300 and Ti200 Infrared Cameras	
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras	
Ti95 and Ti90 Infrared Cameras	
Fluke Connect™ accessories	
ir3000 FC Wireless Connector	
ir3000 FC1550 Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect™ software	
Fluke Connect™ App - iOS	
Fluke Connect™ App - Android™	
SW3000 FC Software	









3000 FC Digital Multimeter

Fluke Connect™ App: iOS (4s and later)

Fluke Connect™ App: Android (4.3 and up)

SW3000 FC Software\*









Fluke Connect™ App: iOS (4s and later)

Fluke Connect™ App: Android (4.3 and up)

SW3000 FC Software\*

**Includes:** TL224 Test leads (red/black), AC285 Alligator Clips (red/black), 2-AA batteries (installed), 1x magnet hanging strap and information pack

**Compatible with CNX:** No

**\*Requirements:** SW3000 FC Software requires the PC adapter

**Includes:** TL224 Test leads (red/black), AC285 Alligator Clips (red/black), 2-AA batteries (installed), 1x magnet hanging strap and information pack

**Compatible with CNX:** No

**\*Requirements:** SW3000 FC Software requires the PC adapter

 Built with **FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4s and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus 5, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581a-en.

# Compatibility chart

**FLUKE**®


This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp				
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature	<div><p><b>Includes:</b> TL222 Test Leads (red/black), AC220 alligator clips (red/black), 2-AA batteries (installed), 1x magnet hanging strap and information pack</p><p><b>Compatible with CNX:</b> No</p><p><b>*Requirements:</b> SW3000 FC Software requires the PC adapter</p></div>			
Ti400, Ti300 and Ti200 Infrared Cameras				
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras				
Ti95 and Ti90 Infrared Cameras				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
ir3000 FC1550 Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

 Built with **FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus 5, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581a-en.





# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp		3000 FC Digital Multimeter	Ti400, Ti300 and Ti200	pc3000 FC PC Adapter
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage		Fluke Connect™ App: iOS (4s and later)	Fluke Connect™ App: Android (4.3 and up)	SW3000 FC Software*
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature				
Ti400, Ti300 and Ti200 Infrared Cameras		Fluke Connect™ App: iOS (4s and later)	Fluke Connect™ App: Android (4.3 and up)	SW3000 FC Software*
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras				
Ti95 and Ti90 Infrared Cameras				
		Fluke Connect™ App: iOS (4s and later)	Fluke Connect™ App: Android (4.3 and up)	SW3000 FC Software*
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
ir3000 FC1550 Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

**Includes:** 2-AA batteries (installed), 80pk-1 K-Type Thermocouple Probe, 1x magnet hanging strap and information pack

**Compatible with CNX:** No

**\*Requirements:** SW3000 FC Software requires the PC adapter

Built with  
**FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus 5, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581a-en.

# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools		Connects with:		
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp				
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature				
Ti400, Ti300 and Ti200 Infrared Cameras				
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras				
Ti95 and Ti90 Infrared Cameras				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
ir3000 FC1550 Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

**Includes:** Infrared lens, ac power supply and battery pack charger, 2x battery packs, USB cable, HDMI video cable, SmartView® software (free download), rugged, hard carrying case, soft transport bag and hand strap

**Compatible with CNX:** Yes

**\*Requirements:** 3000 FC DMM must be in module mode to connect with Ti400, Ti300 and Ti200 Infrared Cameras

**Includes:** Infrared lens, ac power supply and battery pack charger, 2x battery packs, USB cable, HDMI video cable, SmartView® software (free download), rugged, hard carrying case, soft transport bag and hand strap


**Compatible with CNX:** Yes

**\*Requirements:** 3000 FC DMM must be in module mode to connect with Ti400, Ti300 and Ti200 Infrared Cameras

Built with  
**FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581a-en.





# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:		
3000 FC Digital Multimeter			
a3000 FC Module – AC Current Clamp			
a3001 FC Module – AC Current w/iFlex			
a3002 FC Module – AC/DC Current			
v3000 FC Module – AC Voltage			
v3001 FC Module – DC Voltage			
t3000 FC Module – Temperature			
Ti400, Ti300 and Ti200 Infrared Cameras			
<b>Ti125, Ti110, Ti105 and Ti100 Infrared Cameras</b>			
Ti95 and Ti90 Infrared Cameras			
Fluke Connect™ accessories			
ir3000 FC Wireless Connector			
ir3000 FC1550 Wireless Connector			
pc3000 FC PC Adapter			
Wireless FC SD Card			
Fluke Connect™ software			
Fluke Connect™ App - iOS			
Fluke Connect™ App - Android™			
SW3000 FC Software			

## Connects with:



Fluke Connect™ App: iOS (4s and later)



Fluke Connect™ App: Android (4.3 and up)



Wireless FC SD Card

**Includes:** Power adapter, battery (Ti125 includes 2 each—other models 1 each), USB cable, SD memory card, hard carrying case, soft transport bag, hand strap, users manual and SmartView® software


**Compatible with CNX:** Yes



Built with  
**FLUKE CONNECT™**






©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581a-en.



# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:		
3000 FC Digital Multimeter			
a3000 FC Module – AC Current Clamp			
a3001 FC Module – AC Current w/iFlex			
a3002 FC Module – AC/DC Current			
v3000 FC Module – AC Voltage			
v3001 FC Module – DC Voltage			
t3000 FC Module – Temperature			
Ti400, Ti300 and Ti200 Infrared Cameras			
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras			
<b>Ti95 and Ti90 Infrared Cameras</b>			
Fluke Connect™ accessories			
ir3000 FC Wireless Connector			
ir3000 FC1550 Wireless Connector			
pc3000 FC PC Adapter			
Wireless FC SD Card			
Fluke Connect™ software			
Fluke Connect™ App - iOS			
Fluke Connect™ App - Android™			
SW3000 FC Software			

## Connects with:

Fluke Connect™ App: iOS (4s and later)

Fluke Connect™ App: Android (4.3 and up)

Wireless FC SD Card

**Includes:** Power adapter, battery, USB cable, hard carrying case, soft transport bag, hand strap (Ti95), users manual, and SmartView® software


**Compatible with CNX:** No



Built with  
**FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581a-en.



# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp				
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature				
Ti400, Ti300 and Ti200 Infrared Cameras				
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras				
Ti95 and Ti90 Infrared Cameras				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
ir3000 FC1550 Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

189, 287, 289 and 789 compatible

Includes: Instruction sheet

Compatible with CNX: No


189, 287, 289 and 789 compatible

**Includes:** Instruction sheet

**Compatible with CNX:** No










©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus 5, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581a-en.



# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:	
3000 FC Digital Multimeter		
a3000 FC Module – AC Current Clamp		
a3001 FC Module – AC Current w/iFlex		
a3002 FC Module – AC/DC Current	Fluke 1550C Insulation Resistance Tester	Fluke 1555 Insulation Resistance Tester
v3000 FC Module – AC Voltage		
v3001 FC Module – DC Voltage		
t3000 FC Module – Temperature		
Ti400, Ti300 and Ti200 Infrared Cameras		
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras	Fluke Connect™ App: iOS (4s and later)	Fluke Connect™ App: Android (4.3 and up)
Ti95 and Ti90 Infrared Cameras	1550B, 1550C and 1555 Insulation Resistance Testers compatible	
	<b>Includes:</b> Instruction sheet	
	<b>Compatible with CNX:</b> No	
Fluke Connect™ accessories		
ir3000 FC Wireless Connector		
<b>ir3000 FC1550 Wireless Connector</b>		
pc3000 FC PC Adapter		
Wireless FC SD Card		
Fluke Connect™ software		
Fluke Connect™ App - iOS		
Fluke Connect™ App - Android™		
SW3000 FC Software		




Built with

**FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581a-en.



# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp		3000 FC Digital Multimeter*	a3000 FC Module	a3001 FC Module
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature		a3002 FC Module	v3000 FC Module	v3001 FC Module
Ti400, Ti300 and Ti200 Infrared Cameras				
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras				
Ti95 and Ti90 Infrared Cameras				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
ir3000 FC1550 Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

**Includes:** SW3000 FC Software and instruction sheet


**Compatible with CNX:** No

**\*Requirements:** 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter

Built with  
**FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581a-en.




# Compatibility chart


**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.


Fluke Connect™ tools	
3000 FC Digital Multimeter	
a3000 FC Module – AC Current Clamp	
a3001 FC Module – AC Current w/iFlex	
a3002 FC Module – AC/DC Current	
v3000 FC Module – AC Voltage	
v3001 FC Module – DC Voltage	
t3000 FC Module – Temperature	
Ti400, Ti300 and Ti200 Infrared Cameras	
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras	
Ti95 and Ti90 Infrared Cameras	
Fluke Connect™ accessories	
ir3000 FC Wireless Connector	
ir3000 FC1550 Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect™ software	
Fluke Connect™ App - iOS	
Fluke Connect™ App - Android™	
SW3000 FC Software	




### Connects with:




Ti125, Ti110, Ti105 and Ti100 Infrared Cameras



Ti95 and Ti90 Infrared Cameras



Fluke Connect™ App: iOS (4s and later)



Fluke Connect™ App: Android (4.3 and up)

<b>Includes:</b> Instruction sheet
<b>Compatible with CNX:</b> No

**Includes:** Instruction sheet


**Compatible with CNX:** No



Built with  
**FLUKE CONNECT™**

















©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus 5, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581a-en.





## FLUKE®

<b>Fluke Connect™ tools</b>		<b>Connects with:</b>			
3000 FC Digital Multimeter					
a3000 FC Module – AC Current Clamp					
a3001 FC Module – AC Current w/iFlex		3000 FC Digital Multimeter*	a3000 FC Module	a3001 FC Module	
a3002 FC Module – AC/DC Current					
v3000 FC Module – AC Voltage					
v3001 FC Module – DC Voltage					
t3000 FC Module – Temperature		a3002 FC Module	v3000 FC Module	v3001 FC Module	
Ti400, Ti300 and Ti200 Infrared Cameras					
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras					
Ti95 and Ti90 Infrared Cameras					
<b>Fluke Connect™ accessories</b>	t3000 FC Module	Ti25, Ti110, Ti105 and Ti100	Ti400, Ti300 and Ti200	Ti95 and Ti90	
ir3000 FC Wireless Connector					
ir3000 FC1550 Wireless Connector					
pc3000 FC PC Adapter					
Wireless FC SD Card	Wireless FC SD Card	Fluke Connect™ App: iOS (4s and later)	Fluke Connect™ App: Android (4.3 and up)		
<b>Fluke Connect™ software</b>					
<b>Fluke Connect™ App - iOS</b>	<b>Compatible with CNX:</b> No <b>*Requirements:</b> 3000 FC DMM must be in module mode to connect with Fluke Connect App Users with iOS phones can use the app to communicate with users with iOS or Android phones.				
<b>Fluke Connect™ App - Android™</b>					
<b>SW3000 FC Software</b>					







©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus 5, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 5/2014 6002581a-en.

# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.


Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp		3000 FC Digital Multimeter*	a3000 FC Module	a3001 FC Module
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature				
Ti400, Ti300 and Ti200 Infrared Cameras				
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras				
Ti95 and Ti90 Infrared Cameras				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
ir3000 FC1550 Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

<b>Compatible with CNX:</b> No			
<b>*Requirements:</b> 3000 FC DMM must be in module mode to connect with Fluke Connect App			
Users with Andoid phones can use the app to communicate with users with iOS or Android phones.			

 Built with **FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4s and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581a-en.



# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

## Fluke Connect™ tools

3000 FC Digital Multimeter

a3000 FC Module – AC Current Clamp

a3001 FC Module – AC Current w/iFlex

a3002 FC Module – AC/DC Current

v3000 FC Module – AC Voltage

v3001 FC Module – DC Voltage

t3000 FC Module – Temperature

Ti400, Ti300 and Ti200  
Infrared Cameras

Ti125, Ti110, Ti105 and Ti100  
Infrared Cameras

Ti95 and Ti90 Infrared Cameras

## Fluke Connect™ accessories

ir3000 FC Wireless Connector

ir3000 FC1550 Wireless Connector

pc3000 FC PC Adapter


Wireless FC SD Card

## Fluke Connect™ software

Fluke Connect™ App - iOS

Fluke Connect™ App - Android™

SW3000 FC Software



## Connects with:



3000 FC Digital Multimeter\*



a3000 FC Module



a3001 FC Module



a3002 FC Module



v3000 FC Module



v3001 FC Module



t3000 FC Module



pc3000 FC PC Adapter

**Includes:** pc3000 FC PC Adapter and instruction sheet

**Compatible with CNX:** No

**\*Requirements:** 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter and SW3000 FC software

Built with  
**FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581a-en.

